

No. : 381/DPP/ASPHIRASI/VII/2024 11 Juli 2024

Lampiran : 3 surat edaran

Perihal : Pemberitahuan Informasi Vaksin Umrah 2024

Kepada Yth.

Bapak/Ibu Pimpinan Perusahaan Penyelenggara Perjalanan Ibadah Umrah (PPIU) Anggota ASPHIRASI

di

Tempat

Assalammu'alaikum Wr. Wb.

Sehubungan dengan adanya surat edaran terbaru dari *General Authority of Civil Aviation* (GACA) *Kingdom of Saudi Arabia* dengan *Subject: Health Requirements and Recommendations for Travellers to Saudi Arabia for Umrah/Hajj 2024*, maka dengan ini Aliansi Pengusaha Haramain Seluruh Indonesia (ASPHIRASI) menyampaikan bahwa **vaksin meningitis bagi jamaah umrah Tahun 2024 adalah WAJIB**.

Sehubungan dengan itu, agar seluruh PPIU anggota ASPHIRASI untuk dapat memenuhi ketentuan yang berlaku pada saat melaksanakan kegiatan Umrah agar segala sesuatunya dapat berjalan dengan baik dan lancar, terutama bagi kesehatan jamaah.

Demikian kami sampaikan, atas perhatiannya kami ucapkan terima kasih.

Wassalammualaikum. Wr.Wb

Hormat Kami,

Hj. Retno Anugerah Andriyani

Sekjen ASPHIRASI









Kepada Pelanggan Yth,

Merujuk kepada surat edaran General Authority Civil Aviation (GACA) Kerajaan Arab Saudi dengan nomor 5/21346 Tanggal. 15 Maret 2024. Menyatakan bahwa semua maskapai harus mematuhi Persyaratan dan Rekomendasi Kesehatan bagi penumpangnya yang akan berpergian ke Kerajaan Arab Saudi untuk Umrah atau Haji (2024).

Berikut persyaratan yang harus dipenuhi oleh setiap penumpang:

- Vaksin Polysaccharide Quadrivalent (ACYW) harus diberikan 10 hari sebelum kedatangan di Kerajaan Saudi Arabia dan tidak boleh melebihi 3 tahun.
- Vaksin Konjugasi Quadrivalent (ACYW) harus diberikan dalam 5 tahun terakhir, dan setidaknya 10 hari sebelum kedatangan di Kerajaan Saudi Arabia.
- Otoritas kesehatan di negara asal jemaah harus memastikan bahwa vaksinasi dilakukan dalam periode validitas yang ditentukan dan memastikan bahwa jenis vaksin serta tanggal pemberiannya tercantum dengan jelas di sertifikat vaksinasi. Jika jenis vaksin tidak tercantum di sertifikat, vaksin tersebut hanya akan dianggap valid selama 3 tahun.

Hubungi Kami untuk informasi lebih lanjut

Tel: +(62-21) 835 6201 - Ticketing Tel: +(62-21) 8378 5975 - Reservation Whatsapp Chat: 62877 870 65 777 Email: info@saudiairlines.co.id


Jam kerja:

09:00 - 17:00 WIB (Senin - Jumat)

09:00 - 13:00 WIB (Sabtu)

Demikian kami sampaikan dan terima kasih.









GACA Circular

إلى: جميع شركات الطيران العاملة بمطارات المملكة العربية To: All airlines operating in the airports of the Kingdom السعودية بما يشمل الطيران الخاص. of Saudi Arabia, including Private Aviation.

Subject:

Health Requirements and Recommendations for Travelers to Saudi Arabia for Umrah/Haji (2024).

Reference:

Article No. (23) of the Civil Aviation Law.

الموضوع:

الاشتراطات والإرشادات الصحية للمسافرين القادمين إلى المملكة العربية السعودية لآداء مناسك العمرة/الحج لعام ١٤٤٥هـ

التعليمات:

المادة رقم (٢٣) من نظام الطيران المدنى.

Instructions:

- 1. All airlines must comply with the Health Requirements and Recommendations for Travelers to the Kingdom for Umrah/Hajj (2024) (attached).
- 2. Failure to comply with circulars issued by GACA is an explicit violation of the Government's orders. Legal procedures shall be initiated against violators who will be held responsible.

١. يجب على جميع شركات الطيران الالتزام بالاشتراطات والإرشادات الصحية للمسافرين القادمين إلى المملكة لآداء

٢. إن عدم الالتزام بالتعاميم التي تصدرها الهيئة يعد مخالفة صريحة للأوامر الحكومية وسيتم اتخاذ الإجراءات النظامية بحق المخالف وتحميله المسؤولية المترتبة على ذلك.

مناسك العمرة/الحج لعام ١٤٤٥هـ (مرفق نسخة).

Attachment(s):

gaca.gov.sa

- to Saudi Arabia for Umrah (2024).
- 2. Health Requirements and Recommendations for Travelers to Saudi Arabia for Hajj (2024).

المرفقات:

- Health Requirements and Recommendations for Travelers العربية العربية المملكة العربية السعودية لآداء مناسك العمرة لعام ١٤٤٥هـ
 - الاشتراطات والإرشادات الصحية للمسافرين إلى المملكة العربية السعودية لحج ١٤٤٥هـ

C24

نائب الرئيس التنفيذي للنقل الجوى والتعاون الدولي **Executive Vice President for Air Transport and International Cooperation**

للملكة العربية السعودية، ص.ب ٤٧٣٦ الرياض ١٥٥٢ هات. ٣٣٣٣ ١٥٥ ١١ ٩٦٦+ فاكس: ٣٢٢٢ ١٥٥ ١١ ٢٦٠٠ Kingdom of Saudi Arabia, P.O Box 47360 Riyadh 11552 Tel: +966 11 525 3333 Fax: +966 11 525 3222



Health Requirements and Recommendations for Travelers to Saudi Arabia for Umrah – 1445H (2024)

The Ministry of Health in the Kingdom of Saudi Arabia issues this document to address health requirements and recommendations for visitors traveling to Saudi Arabia for the purposes of Umrah 1445 (2024).

1 Required vaccinations.

N	Vaccine	Target Group	Target Countries	Approved Vaccine
1	Meningococcal meningitis	All individuals, 1 year old and above, arriving for Umrah.	All countries	 Quadrivalent (ACYW) Polysaccharide Vaccine, 10 days prior to arrival and should not exceed 3 years. Quadrivalent (ACYW) Conjugated¹ Vaccine within the last 5 years, and at least 10 days prior to arrival. Health authorities at the pilgrims¹ country of origin should ensure their vaccination within the required validity period and make sure that the type of vaccine and its date is clearly shown in the vaccination certificate. If the vaccine type is not indicated on the certificate, it will be considered valid for 3 years only.
2	Poliomyelitis	All travelers	States reporting cases of WPV1 or cVDPV1 (Appendix 1-Table 1)	At least one dose of bivalent oral polio vaccine (bOPV) or inactivated polio vaccine (IPV) ²
3	Poliomyelitis	All travelers	States reporting cVDPV2 positive human samples or Acute Flaccid Paralysis (AFP) cases (Appendix 1- Table 2)	At least one dose of (IPV) ³ , if (IPV) is not available, vaccination with at least one dose of oral polio vaccine (OPV) ³ is accepted.
4	Yellow Fever	All travelers above 9 months of age	Countries or areas at risk of yellow fever transmission (Appendix 2)	Yellow Fever vaccine. The Yellow Fever vaccination certificate is valid for life starting 10 days after vaccination.

¹Current evidence suggests that conjugate vaccines are safe and effective for those above 55 years of age.

²it is recommended to get (bOPV) or (IPV) dose within the previous 12 months and administered not less than 4 weeks prior to arrival.

³ it is recommended to get (OPV) dose within the previous 6 months and administered not less than 4 weeks prior to arrival.



2 Recommended vaccinations:

N	Vaccine	Target Group	Target Countries	Approved Vaccine
1	SARS-COV-2 (COVID- 19)	All travelers aged 12 years and over, intending to perform Umrah.	All countries	https://www.moh.gov.sa/en/HealthAwareness/Pilgrims Health/Appr oved-Vaccines/Pages/Outside-the-Kingdom.aspx
2	Seasonal Influenza	Travelers arriving to perform Umrah, particularly pregnant women, children under 5 years, the elderly, individuals with chronic medical conditions (such as chronic cardiac, pulmonary, renal, metabolic, neurodevelopmental, liver, or hematologic diseases) and individuals with immunosuppressive conditions (such as HIV/AIDS, receiving chemotherapy or steroids, or malignancy).	All countries	Seasonal Influenza vaccine
3	Poliomyelitis	All travelers	States reporting positive environmental sites samples of cVDPV2 (Appendix 1-Table 3)	At least one dose of (IPV) ⁵ , if (IPV) is not available, it is recommended to be vaccinated with at least one dose of the oral polio vaccine (OPV) ⁶

3 Preventive Measures by Health Authority at Points of Entry

N	Disease	Target Countries	Approved Vaccine
1	SARS-COV-2 (COVID-19)	All countries.	Comply with local preventive regulations and procedures required by the Public Health Authority, available online on the fallowing link (https://covid19.cdc.gov.sa/).
2	Meningococcal meningitis	Countries with frequent epidemics of meningococcal meningitis, countries at risk for meningitis epidemics, and countries with outbreaks of non-vaccine groups of Neisseria meningitides (Appendix 3)	Administer prophylactic antibiotics at the points of entry if deemed necessary.
3	Poliomyelitis	States reporting cases of WPV1 or cVDPV1 (Appendix 1-Table 1) regardless of age and vaccination status.	Administer one dose of bivalent oral polio vaccine (bOPV) at points of entry to Saudi Arabia.
4	Yellow Fever Zika Virus Disease and Dengue Fever	Aircrafts, ships and other means of transportation arriving from countries affected by Yellow Fever (Appendix 2)	Valid certificate indicating that disinsection was applied in accordance with methods recommended by WHO. They may be subjected for inspection as a condition of granting free pratique.
5	Zika Virus Disease and Dengue Fever	Aircrafts, ships, and other means of transportation arriving from countries affected with the Zika virus and/or Dengue Fever (Appendix 4)	Valid certificate indicating that disinsection applied in accordance with methods recommended by WHO. They may be subjected for inspection as a condition of granting free pratique.



4 General Health Recommendations.

- Ministry of Health recommends authorities at pilgrims' countries of origin to consider that pilgrims are free from medical conditions that affects physical ability.
- In densely populated gatherings like during Umrah, there's a heightened risk of respiratory infectious diseases. Therefore, it is advised to strictly adhere to wearing clean and dry masks, frequent hand washing. With health monitoring in place for food safety in Umrah facilities, pilgrims should ensure the safety and absence of contamination sources in their food.
- Avoid contact with those who appear ill and avoid sharing their personal belongings.
- Travelers arriving for Umrah, especially older individuals, recommended to avoid direct sun exposure while performing rituals and to drink sufficient amount of fluids.

5 Responding to International Health Events

In the case of a public health emergency of international concern, or in the case of any event subject to notification under the International Health Regulations (2005), the Ministry of Health will undertake all additional necessary measures in consultation with the WHO.



7 Appendixes:

Appendix 1:

Table 1: States reporting cases of WPV1 or cVDPV1

WP1	cVDPV1	
Afghanistan	Madagascar	
Pakistan	Mozambique	
	DR Congo	
	Yemen	

Table 2: States reporting cVDPV2 positive Human Sources samples or Acute Flaccid Paralysis (AFP) cases.

cVDPV2				
Nigeria	Nigeria Côte d'Ivoire			
Tanzania	Tanzania Guinea			
Kenya	Central African Rep	Burkina Faso		
Chad	DR Congo	Benin		
Yemen	Mali	Indonesia		
South Sudan	Somalia	Niger		
Palestine	Mauritania			
Zimbabwe	Mozambique			

Table 3: States reporting positive Environmental Sources samples of cVDPV2

cVDPV2				
Egypt	Cameron	Sudan		
Congo Angola Malawi Algeria		Botswana		
		Senegal		

Reference:

Polio Eradication Organization report on 12 February 2024.



Appendix 2:

Countries/areas at risk of Yellow Fever transmission, as per the WHO International Travel and Health Guidelines, are:

Americas		Africa		
Guyana	Argentina	Ghana	Angola	
Panama	Venezuela	Guinea	Benin	
Paraguay	Bolivia	Guinea-Bissau	Burkina Faso	
Peru	Brazil	Kenya	Burundi	
Surinam	Colombia	Liberia	Cameroon	
Ecuador	Trinidad and Tobago	Mali	Central African Republic	
	French Guiana	Mauritania	Chad	
		Niger	Congo	
		Nigeria	Côte d'Ivoire	
		Senegal	DR Congo	
		Sierra Leone	Equatorial Guinea	
		Sudan	Ethiopia	
		Gambia	Gabon	
		Togo	South Sudan	
		Uganda		



Appendix 3:

Countries/areas with frequent epidemics of meningococcal meningitis and countries at risk for meningitis epidemics (WHO International Travel and Health, 2015):

	Africa				
Nigeria	Ethiopia	Benin			
South Sudan	Gambia	Burkina Faso			
Rwanda	Ghana	Burundi			
Senegal	Guinea	Cameroon			
Sudan	Guinea-Bissau	Central African Republic			
Tanzania	Kenya	Chad			
Togo	Mali	Côte d'Ivoire			
Uganda	Mauritania	DR Congo			
·	Niger	Eritrea			



Appendix 4:

Countries affected with Zika and/or Dengue:

Asia			Americas	
Vietnam	Fiji	Bangladesh	Dominica	Anguilla
Papua New Guinea	French Polynesia	India	Dominican Republic	Antigua and Barbuda
Philippines	Laos	Indonesia	Ecuador	Argentina
Samoa	Marshall Islands	Maldives	El Salvador	Europa
Singapore	Malaysia	Myanmar	French Guiana	AL Bahama
Solomon Islands	Micronesia	Thailand	Grenada	Barbados
Tonga	New Caledonia	Cambodia	Guadeloupe	Belize
Vanuatu	Palau	Cook Islands	Guatemala	Bolivia
		Sri Lanka	Guyana	Bonaire
	Afri	ica	Haiti	Sint Eustatius and Saba
	Ethiopia	Angola	Honduras	Brazil
	Gabon	Burkina Faso	Isla de Pasqua - Chelsea	British Virgin Islands
	Guinea Bissau	Burundi	Jamaica	Caiman Islands
	Nigeria	Cabo Verde	Martinique	Colombia
	Senegal	Cameroon	Mexico	Costa Rica
	Uganda	Central African Republic	Montserrat	Cuba
	Sudan	Côte d'Ivoire	Nicaragua	Curaçao
			Saint Vincent and the Grindins	Panama
			Saint Martin	Paraguay
			Suriname	Peru
			Trinidad and Tobago	Puerto Rico
			Turks and Caicos	Saint Barthelemy
		US Virgin Islands	Saint Kitts and Nevis	
			Venezuela	Saint Lucia
				Saint Martin